

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20070155388"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:23
S2	3177	((stop near2 frame) or releas \$3) same (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:24
S3	1970	((stop near2 frame) or releas \$3) with (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:24
S4	7	((stop near2 frame)) with (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:25
S5	5	S4 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:25
S6	19	(releas\$3 with (every or each)) same (handover or handoff or hand-over or hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:28
S7	11	S6 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/02 16:28

S8	4	("7006471").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 14:22
S9	1	S8 and (uplink "does not forward" handoff OR handover OR hand-over OR hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 14:35
S10	368	(uplink or (reverse near2 link)) and ((prevent\$3 or stop\$4 or prohibit\$3 or inhibit\$3 or refrain\$3) with (forward\$3 relay\$3)) and (handoff OR handover OR hand-over OR hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 15:51
S11	213	S10 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 15:52
S12	18	S11 and ((every or each) with (uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 15:53
S13	61	S11 and ((every or each) with ((bs or (base near2 station) or node-b) or uplink or (reverse near2 link)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 15:54
S14	11	S13 and (handoff OR handover OR hand-over OR hand-off).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 15:56
S15	303	correct with (receiv\$3 or recep\$4) with (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 16:21
S16	19	S15 and (handoff OR handover OR hand-over OR hand-off).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 16:21

S17	7	S16 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 16:21
S18	71	(rnc or controller or bsc) with evaluat\$3 with (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 16:26
S19	40	S18 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 16:26
S20	34	S19 and (forward\$3 relay\$3) and (handoff OR handover OR hand-over OR hand-off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 16:31
S21	34	S20 and select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:13
S22	12	S19 and discard\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:17
S23	299	((rnc or controller or bsc) with select\$3 with (node-b or (base near2 station))) same (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:30
S24	1	((evaluat\$3 or measur\$3) with (each or every) with (uplink or (reverse near2 link))) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:32
S25	156	(rnc or controller or bsc) with select\$3 with (node-b or (base near2 station)) with (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:36

S26	1	((evaluat\$3 or measur\$3) with (each or every) with (uplink or (reverse near2 link))) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:38
S27	28	(each or every) with (uplink or (reverse near2 link)) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:38
S28	23	S27 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:39
S29	23	S28 and (forward\$3 or relay\$3 or copy or discard\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:46
S30	2	S28 and ((forward\$3 or relay \$3 or copy or discard\$3) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:47
S31	498	((uplink or (reverse near2 link)) same (handover or hanoff or hand-over or hand-off)) and ((forward\$3 or relay \$3 or copy or discard\$3) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:49
S32	55	((uplink or (reverse near2 link)) same (handover or hanoff or hand-over or hand-off)) and (no\$1 with (forward \$3 or relay\$3 or copy or discard\$3) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:50
S33	58	((uplink or (reverse near2 link)) same (handover or hanoff or hand-over or hand-off)) and ((no\$1 or discontinu \$5) with (forward\$3 or relay\$3 or copy or discard\$3) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:51
S34	20	S33 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:51

S35	70	((uplink or (reverse near2 link)) same (handover or handoff or hand-over or hand-off)) and ((no\$1 or discontinu\$5 or discard\$3) with (forward\$3 or relay\$3 or copy) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:57
S36	21	S35 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 17:57
S37	155	((uplink or (reverse near2 link)) same (handover or handoff or hand-over or hand-off)) and ((no\$1 or discontinu\$5 or discard\$3) with (forward\$3 or relay\$3 or copy) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:22
S38	132	((uplink or (reverse near2 link)) same (handover or handoff or hand-over or hand-off)) and ((no\$1 or discontinu\$5) with (forward\$3 or relay\$3 or copy or discard\$3) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:22
S39	58	S37 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:22
S40	55	S38 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:22
S41	2	("5396541").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 09:03
S42	155	((uplink or (reverse near2 link)) same (handover or handoff or hand-over or hand-off)) and ((no\$1 or discontinu\$5 or discard\$3) with (forward\$3 or relay\$3 or copy) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:07

S43	58	S42 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:07
S44	46	S43 and (authenticat\$3 or integrity or authoriz\$5 or address or bss)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:07
S45	23	S44 and (((base near2 station) or node-b) with (controller or rnc or bsc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:11
S46	3	S44 and (((base near2 station) or node-b) with (controller or rnc or bsc) with (ack or acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:17
S47	132	((uplink or (reverse near2 link)) same (handover or handoff or hand-over or hand-off)) and ((no\$1 or discontinu\$5) with (forward\$3 or relay\$3 or copy or discard\$3) with packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:21
S48	55	S47 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:21
S49	5	S48 and (((base near2 station) or node-b) with (controller or rnc or bsc) with (ack or acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:21
S50	617	((((base near2 station) or node-b) with (controller or rnc or bsc) with (ack or acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:24

S51	132	S50 and (ack or acknowledg\$4).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:25
S52	69	(uplink or (reverse near2 link)) and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:25
S53	36	S52 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:25
S54	0	((controller or rnc or bsc) with receiv\$3 with (ack or acknowledg\$4) with fro\$1 with ((base near2 station) or node-b))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:44
S55	288	((controller or rnc or bsc) with receiv\$3 with (ack or acknowledg\$4) with ((base near2 station) or node-b))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:45
S56	135	((controller or rnc or bsc) near5 receiv\$3) with (ack or acknowledg\$4) with ((base near2 station) or node-b)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:45
S57	50	(uplink or (reverse near2 link)) and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:45
S58	28	S57 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 09:46
S59	1741	((base near2 station) or node-b) with (mobile or cell\$4) with confirm\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:02

S60	69	S50 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:02
S61	20	(uplink or (reverse near2 link)) and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:02
S62	11	S61 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:02
S63	3698	((base near2 station) or node- b) with (mobile or cell\$4) with (confirm\$5 or authenticat\$3 or authoriz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:19
S64	109	S50 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:20
S65	86	S64 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:20
S66	12	(uplink or (reverse near2 link)) and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:20
S67	4	((base near2 station) or node- b) with (controller or rnc or bsc) with (ack or acknowlegd \$4) with (qos or strength)) same (handoff or handover or hand-off or hand-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:53
S68	2	S67 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:53

S69	382	((base near2 station) or node-b) with (controller or rnc or bsc) with (qos or strength)) same (handoff or handover or hand-off or hand-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:56
S70	148	(uplink or (reverse near2 link)) and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:57
S71	114	S70 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:57
S72	12	((base near2 station) or node-b) with (controller or rnc or bsc) with (uplink or (reverse near2 link)) with (qos or strength)) same (handoff or handover or hand-off or hand-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:58
S73	7	S72 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/05 10:58
S74	14077	((controller or rnc or bsc) with (instruction or comand or message)) same (delet\$3 or discard\$3 or relay\$3 or forward\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 12:36
S75	62	((controller or rnc or bsc) with select\$3 with (uplink or (reverse near2 link))) and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 12:37
S76	43	S75 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 12:38

S77	52913	((controller or rnc or bsc) with (instruction or comand or message) with (forward\$3 or transmi\$5 or relay\$3 or send \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 12:59
S78	178	((controller or rnc or bsc) with select\$3 with (uplink or (reverse near2 link))) and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:00
S79	97	S78 and ((@rlad<"20030814") or (@ad<"20030814"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:00
S80	89	S79 and (("455"/\$.ccls.) or ("370"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:03
S81	89	S80 and (uplink or (reverse near2 link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:06
S82	45	S80 and (uplink or (reverse near2 link)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:09
S83	42	S82 and (forward\$3 or relay \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:30
S84	5	S82 and (forward\$3 or relay \$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/27 13:30
S85	2	("20020058493").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/01 17:03

S86	1	S85 and status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 17:03
S87	0	S85 and status and select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 17:03
S88	0	S85 and status and (serv\$3 or target or candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/01 17:04

3/ 3/ 2010 9:02:13 AM**C:\ Documents and Settings\ fdonado\ My Documents\ EAST\ Workspaces\ 10567607_ Ver2.wsp**